

1           1.    A method comprising:  
2                receiving an enhanced television transmission  
3 including a trigger that points to a resource and has an  
4 expires attribute indicating a trigger expiration time; and  
5                enabling the resource to be accessed after the  
6 trigger expiration time.

1           2.    The method of claim 1 including rebroadcasting  
2 the enhanced television transmission.

1           3.    The method of claim 1 including differencing the  
2 current time and the trigger expiration time.

1           4.    The method of claim 3 including determining  
2 whether the trigger time is greater than the current time  
3 and if not, discarding the trigger.

1           5.    The method of claim 2 including determining  
2 whether the trigger time is greater than the enhancement  
3 start time and if so, retransmitting the trigger with a  
4 trigger expiration time equal to the time when the enhanced  
5 television transmission will be rebroadcast plus the  
6 difference between the trigger time and the enhancement  
7 start time.

1           6.    The method of claim 1 including recording said  
2   enhanced television transmission for subsequent replay.

1           7.    The method of claim 6 including differencing the  
2   current time and the trigger expiration time.

1           8.    The method of claim 7 including determining  
2   whether the difference is greater than zero.

1           9.    The method of claim 8 wherein, if the difference  
2   is not greater than zero, discarding the trigger before  
3   recording said enhanced television transmission.

1           10.   The method of claim 8 including, if the  
2   difference is greater than zero, discarding the trigger  
3   expiration time and recording the trigger.

1           11.   The method of claim 1 including receiving an  
2   enhanced television transmission having a trigger that  
3   refers to a remote resource, accessing said remote resource  
4   and storing said remote resource.

1           12.   An article comprising a medium storing  
2   instructions that enable a processor-based system to:

3           receive an enhanced television transmission  
4     including a trigger that points to a resource and has an  
5     expires attribute indicating a trigger expiration time; and  
6           enable the resource to be accessed after the  
7     trigger expiration time.

1           13. The article of claim 12 further storing  
2     instructions that enable the processor-based system to  
3     rebroadcast the enhanced television transmission.

1           14. The article of claim 12 further storing  
2     instructions that enable the processor-based system to  
3     subtract the current time from the trigger expiration time.

1           15. The article of claim 14 further storing  
2     instructions that enable the processor-based system to  
3     determine whether the trigger time is greater than the  
4     current time and if not, discard the trigger.

1           16. The article of claim 12 further storing  
2     instructions that enable the processor-based system to  
3     determine whether the trigger time is greater than the  
4     enhancement start time and if so, retransmit the trigger  
5     with a trigger expiration time equal to the time when the  
6     enhanced television will be rebroadcast plus the difference  
7     between the trigger time and the enhancement start time.

1           17. The article of claim 12 further storing  
2 instructions that enable the processor-based system to  
3 record said enhanced television transmission for subsequent  
4 replay including both the television content and an  
5 enhancement accompanying said television content.

1           18. The article of claim 17 further storing  
2 instructions that enable the processor-based system to  
3 difference the current time and the trigger expiration  
4 time.

1           19. The article of claim 18 further storing  
2 instructions that enable the processor-based system to  
3 determine whether the difference is greater than zero.

1           20. The article of claim 19 further storing  
2 instructions that enable the processor-based system to  
3 discard the trigger before recording said enhanced  
4 television transmission if the difference is not greater  
5 than zero.

1           21. The article of claim 19 further storing  
2 instructions that enable the processor-based system to  
3 discard the trigger expiration time and record the trigger  
4 if the difference is greater than zero.

1           22. The article of claim 12 further storing  
2 instructions that enable the processor-based system to  
3 receive an enhanced television transmission having a  
4 trigger that refers to a remote resource, access said  
5 remote resource and store said remote resource.

1           23. A system comprising:  
2               a processor-based device; and  
3               a storage coupled to said processor-based device  
4 storing instructions that enable said processor-based  
5 device to receive an enhanced television transmission  
6 including a trigger that points to a resource and has an  
7 expires attribute indicating a trigger expiration time and  
8 enable the resource to be accessed after the trigger  
9 expiration time.

1           24. The system of claim 23 wherein said system is an  
2 enhanced television receiver with a broadcast recording  
3 device.

1           25. The system of claim 23 wherein said system is an  
2 enhanced television rebroadcast system.

1           26. The system of claim 25 wherein said storage  
2 stores instructions that difference the trigger expiration  
3 time and the enhancement start time.

1           27. The system of claim 26 wherein the trigger is  
2 discarded if the trigger has expired.

1           28. The system of claim 23 wherein said storage  
2 stores instructions that enable said system to receive  
3 enhanced television transmission having a trigger that  
4 refers to a remote resource, access said remote resource  
5 and store said remote resource.

1           29. The system of claim 28 wherein said storage  
2 stores instructions that enable said system to convert a  
3 type A transmission to a type B transmission.

1           30. The system of claim 28 wherein said system makes  
2 said resource available at a new location and translates  
3 said trigger to point to said new location.